Kade McQuivey, MD

Department of Orthopedics
Sports Medicine and Shoulder Surgery

Office Phone: 623.876.3870

Fax: 623.337.9279

www.KadeMcQuiveyMD.com



Banner New River Trails
Sun City West Medical Center
Thunderbird Medical Center

Physical Therapy Prescription – Patellar Tendon Repair

Procedure: Patellar Tendon Repair

Frequency: 2-3 times per week for 6 weeks

PHASE I (Weeks 0 - 3): Period of protection, decrease edema, activate quadriceps

- Weightbearing: Weight bear as tolerated with crutches and brace
- Hinged Knee Brace: Locked in full extension for ambulation and sleeping (remove for CPM and PT)
- Range of Motion: No range of motion(unless directed otherwise)
- Therapeutic Exercises: Heel slides, Quad Sets
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase II (Weeks 3 - 8)

- Weightbearing: Weight bear as tolerated with crutches and brace
- Hinged Knee Brace: Unlock brace as quad control improved per ROM below. Wean out by 8 weeks
- Range of Motion:
 - o Weeks 3-4: 0-45 °
 - o Weeks 4-8: Progressively advance 15°/ week or as directed.
- Therapeutic Exercises: Advance Phase I exercises, introduce side-lying hip/core/glutes.
 - Begin weight bearing calf raises(week 4)
 - **No weight bearing with flexion >90 ° **
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase III (Weeks 8 - 12)

- Weightbearing: Full
- Hinged Knee Brace: None
- Range of Motion: Full range of motion
- **Therapeutic Exercises:** Progress to closed chain activities, Begin hamstring work, lunges/leg press 0-90°, proprioception exercises, balance/core/hip/glutes
 - Weeks 10-12: Begin stationary bike when able
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase IV (Weeks 12 - 20)

- Weightbearing: Weight bear as tolerated with crutches and brace
- Range of Motion: Full range of motion
- Therapeutic Exercises: Progress Phase III exercises, single leg balance, core, glutes, eccentric hamstrings, elliptical, and bike
 - Swimming (week 12)
 - o Advance to sport-specific drills and running/jumping (week 20 plus)
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Signature:	Date: