

Banner New River Trails Sun City West Medical Center Thunderbird Medical Center

Physical Therapy Prescription – Quadriceps Tendon Repair

Procedure: Quadriceps Tendon Repair **Frequency:** 2-3 times per week for 6 weeks

- PHASE I (Weeks 0 3): Period of protection, decrease edema, activate quadriceps
 - Weightbearing: Weight bear as tolerated with crutches and brace
 - Hinged Knee Brace: Locked in full extension for ambulation and sleeping (remove for CPM and PT)
 - Range of Motion: No range of motion (Unless directed otherwise)
 - Therapeutic Exercises: Heel slides, Quad Sets
 - Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase II (Weeks 3 – 8)

- Weightbearing: Weight bear as tolerated with crutches and brace
- Hinged Knee Brace: Unlock brace as quad control improved per ROM below. Wean out by 8 weeks
- Range of Motion:
 - Weeks 3-4: 0-45 •
 - Weeks 4-8: Progressively advance 15 °/ week or as directed
- Therapeutic Exercises: Advance Phase I exercises, introduce side-lying hip/core/glutes.
 - Begin weight bearing calf raises (week 4) **No weight bearing with flexion >90 ° **
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase III (Weeks 8 – 12)

- Weightbearing: Full
- Hinged Knee Brace: None
- Range of Motion: Full range of motion
- **Therapeutic Exercises:** Progress to closed chain activities, begin hamstring work, lunges/leg press 0-90°, proprioception exercises, balance/core/hip/glutes

• Weeks 10-12: Begin stationary bike when able

• Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase IV (Weeks 12 - 20)

- Weightbearing: Weight bear as tolerated with crutches and brace
- Range of Motion: Full range of motion
- **Therapeutic Exercises:** Progress Phase III exercises, single leg balance, core, glutes, eccentric hamstrings, elliptical, and bike
 - Swimming (week 12)
 - Advance to sport-specific drills and running/jumping (week 20 plus)
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)